Application/Permit # 23 - 27

# Municipality of Skagway Permit Application for Development in the

## **Business - Skagway Historical Zoning District**

This zoning district is for the area of downtown Skagway with special historical significance. It is to allow commercial development whose buildings are in keeping with the architectural character of the historic Gold Rush era.

### For City of Skagway Staff to Fill Out

☐ Application Complete & Ac	cepted for
Review	Date
☐ Building Permit Needed	
☐ Planning Commission Appro	oval Needed
☐ conditional use perm	it#
□ variance permit#	
☐ Historic Commission Appro	val Needed
☑ State Fire Marshall Approva	al Needed
☐ State or Federal permits need	ded, including
Coastal Management Progra	am Consistency
Review	

The Historic District helps to safeguard the heritage of Skagway by preserving its cultural, social, economic, political and architectural history. For this reason, special regulations are applied to preserve or enhance its unique historic character.

IN ORDER FOR THIS APPLICATION TO BE CONSIDERED COMPLETE AND YOUR PERMIT REVIEW TO BEGIN, SKAGWAY CITY HALL STAFF MUST REVIEW THIS PERMIT APPLICATION AND ENSURE THAT IT HAS BEEN FILLED OUT COMPLETELY AND THAT ALL DRAWINGS, DIAGRAMS AND INFORMATION NEEDED HAVE BEEN SUBMITTED.

Two sets of drawings must accompany your application, one set no larger than 11"x17". Applications will not be processed until all application fees have been submitted.

Property	Name Tony Heckle
Owner:	Phone & Fax 513-675-3936
	Mailing Address, 1340 Oak Knoll Dr. Cincinnati, OH 45224
	Signature truy hidle
	Date 3/16/2023
Contractor	Name Heath & Jaime Goebel
or agents:	Phone & Fax 812-781-1248
	Mailing Address P.O. Box 1058 Skagway, AK 98840
	Who should we contact regarding this permit? Heath Goebel
Project	Lot(s) 12
Location:	Block(s) 4
	Subdivision Townsite
	Street Address 701 Broadway Skagway, AK 98840
	Other 7th & Broadway
	(legal description)

RECEIVED

MAR 1 7 2023

MUNICIPALITY OF SKAGWAY

<b>Applicant Proposes to:</b>		All or part of:	
□ Construct	□ Move	☐ Building	
☑ Alter	☐ Convert	☐ Building Interior	
☐ Enlarge	☐ Demolish	☑ Building Exterior	
		□ Other	istnobirtislova (1
Cost of Froject.			ndes finish work, painting, g systems and any permanent
Description of Work: N	lot replacing only refran	ning existing windows and	removal of 2 exterior doors
	ompliance: I/We here	by certify that the improves and codes as adopted by	ement indicated herein will be so the City of Skagway.
<ul><li> If any informat</li><li> If the permit is</li></ul>	tion is incorrect the pe	nether based on misinform	
Property Owner/Contract		bU #F6(signed)	DATE 3/16/2023
With this appl	ication, you must	THE RESERVE OF THE PARTY OF THE	
		ntion of all existing or pr	oposed buildings or
alterations. The	plans must show all	property lines, easement	s, or other property

information related to this application.

Building Permit Application Checklist
Unless otherwise noted by City Staff all of these must be included in your plans.

Sit	e Pla	n	Fle	or C	onstruction Plan
Yes	N/A			<u>s N/A</u>	
	囟	North Arrow		X	Overall dimensions
	X	Distances from building to other property lines		又	Indicate if framing material is a framed joist
	_	or other buildings & structures	_	_	system or pre-engineered trusses
	X	Location of fuel tank(s), other ancillary		又	Layout, material size, species, grade, spacing
_	_	equipment	_	_	span and connections
	図	Required off-street parking		Ø	Location of load bearing walls
	Ø	Water and sewer lines		Ø	Floor type
	X	Well and septic system			Slab floor: treated soil, vapor barrier, welded
		Existing and proposed electric meters Easement dimensions			wire mesh and thickness of concrete Wood floor: connection to foundation floor
		<del></del>			
ч	Ø	Location of signs			insulation: type R-Value
<b>T</b> 7 -		tion Diam			floor sheathing thickness
	unda <u>s N/A</u>	tion Plan			noor sheathing thekness
		Outline/size of all foundations including: type,	Ex	terio	r Wall Section
	_	interior bearing walls, piles and pads	Yes	s N/A	
	図	Depth (minimum of 12" below grade)		X	Finished grade
	X	All horizontal and vertical reinforcement steel		X	Foundation
		indicating size and placement		X	Type of wall: masonry, filled cell or wood
	図	All slab elevation changes		X	Connection of wall to foundation
	図	Ventilation and flow-through openings		X	Pressure treated bottom plates, sill seal
				X	Size of studs & spacing
Fle	or Pl	an		X	Ceiling height
	N/A	<del></del>		X	Sheathing with vapor barrier
	Ø	Square footage: habitable + non-		X	Wall insulation: type
	•	habitable = total	_	<b>-</b>	R Value
	X	Exterior walls with dimensions		X	Exterior wall finishes
	×	Layout for all rooms showing principle		X	Minimum 6" clearance between wood siding
		dimensions		1071	and grade
	×	Label all rooms (rooms with closets may be		⊠ ⊠	required fire rating(s)
		considered sleeping rooms and will require			chimneys, crickets, ventilations and flow Windows and doors
		emergency egress)	Ų.		Willdows and doors
	×	All plumbing fixtures including water heater	-		<b>.</b>
_	_	and washing machine hook-up			ons (face view)
	×	Door and window sizes, labeling egress		<u>s N/A</u>	TO
		windows, all header sizes, door swing		Ø	Elevation of each face is required
	X	Changes in floor elevations Tempered glass in hazardous locations		X	Doors, windows, landings, steps, porches,
	**	Attic access and dimensions		da ⊠	Height of roof ridge, overhang and finished
	峇	All storage areas	gra	ue	
	XIXIXIXIX	Entry door landings and dimensions	_		
Π	Ä	Interior and exterior stairs w/rise & run and			Wall Section (load bearing)
_	<b>★</b>	width dimensions, handrails		<u>s N/A</u>	
		All columns and beams with dimensions		风	Foundation – shape, size and steel
		Tenant and/or occupancy separation			reinforcement
	<b>T</b>	requirements			

Fire Safety

Yes	<u>N/A</u> [X]	room, one	ectors (minimum of 1 per sleeping in area adjacent to sleeping areas, of 1 per floor) and all interconnected	<u>Ye</u>	s N/A	Tenant separation if required Size of studs & spacing Rafters: label as such with ridge beam, collar
	X X	fire exting flammable		0		ties, species/grade and spacing Engineered trusses: label as such, spacing ceiling insulation: type R Value
Yes	N/A	ical, elec			X	ceiling finish – 24" framing o.c. requires ½" ceiling board or 5/8" gypsum board minimum
		Lights, sw	& size of service entrance itches, and regular outlets GFCI & Arc Fault receptacles		×	1/2" gypsum is ok for 16" o.c. Roof sheathing – type, thickness, nailing pattern, nail size
	$\overline{\square}$		ighting and switches		X	Underlayment - type & weight drip edge
	X		of heating appliances and ducting		X	Sub-fascia size and material
	×	UL cut she	eets for all appliances		X X	Fascia size and material  Overhang dimension, type of ventilation,
				_	~	location and amount
					×	Covering – metal, 3-tab, shake, etc. and
					⋈	nail/screw pattern Roof slope
						Means of anchoring roof to walls
					N/A	y Plans  Elevated (above 30") porch, deck and/or balcony details  Others as required
				_	~	omoro ao required
Ro	of Sys	stem				
Yo	u m	<u>ust chec</u>	k the Use Being Proposed or	Alte	red	
1.	Pern	nitted U	ses			
		Banks and	offices;			
		łotels;				
			s, not serving alcoholic beverages;			
			nd bowling alleys;			
		Assembl				
		_	tablishments;			
			of all types and dry cleaning establi	shmen	ts;	
		Funeral p				
			es and service shops; and social organizations			
		ost office				
		ost office Owelling u	•			
		_	e residences as allowed by IBC prov	vided t	hat:	
		(i)				ted to one building per 5,000 square
		(ii)	A minimum of one (1) parking spa	ce for	every	3 occupants.
			Lot coverage does not exceed 60%		-	
		(iv)	A 6-foot high solid fence shall be r	equire	d on a	all lot lines bordering RG lots.

#### Prohibited Uses In the Business-Historical District Zone

- 1. All buildings not in keeping with the architectural character of the historic or "Gold Rush" buildings in this zone;
- 2. Any use or structure not of a character indicated under the permitted principal and accessory uses, or permitted by conditional uses pursuant to subsection B of Section 19.04.060;
- 3. Automobile repair garages;
- 4. Service Stations:
- 5. Kennels;
- 6. Structures creating greater than 90% lot coverage for a lot 5,000 sq. ft. or larger

Does your proposed project meet the following requirements? (you must check "yes" or "no") Unless otherwise noted, if the answer is no to any of the questions below, you must get a variance from requirements approved by the Planning Commission before you can begin construction. (Criteria for variances are set out in §19.04.060 A 8).

No variance shall be granted because of special conditions caused by actions of the person seeking relief, or for reasons of pecuniary hardship or inconvenience; nor shall any variance be granted which would permit a land use in a district in which that land use has been prohibited. Variances are intended to provide a mechanism for the relaxation of such standards as minimum lot or yard requirements, setback, or building coverage, when the applicant shows, and the planning commission finds, that the criteria in 19.04.060(A) subsection 8 are met.

	Minimum Building Setback Requirements  1. Front yard, no requirements  2. Side yard, none required, except that there shall or doors are in a side wall of a proposed structur  3. Rear Yard, five feet (5')  answer is no, you must get specific approval for an exempt review. Criteria for review are found at section 19.04.06	e. ption as part of		
2. Maxin	Maximum Lot Coverage By All Buildings num Lot Coverage: Ninety percent (90%)	N/A ⊠	Yes □	No □
	Maximum building height shall not exceed 3 stories (35 ft) high answer is no, you must get specific approval for an exempt review. Criteria for review are found at section 19.04.06		Yes □ the planning c	<b>No</b> □ ommission
_	Parking Requirements rking requirements within Section 19.08.020, Provision o rial and manufacturing establishments, must be followed	N/A ⊠ of Off-Street Pa	Yes □ rking, includin	No □ g those for

5. Visibility at Intersections Must be Assure No vehicle shall be parked within twenty feet (20') of any	ed N/A 🛎	Yes   To one was that	No □
driver has good visibility at street intersections, on corner	lots there shall not	be a fence, wall	l, hedge, or
other planting or structure that will impede visibility between	een a height of two	feet six inches	(2'6") and
eight feet (8') above the centerline grades of the intersecting	ng streets		
6. All structures within the Historic District	shall		
comply with the provisions of Chap	oter 19.10,		
Historic District Regulations	<b>N/A</b> □	Yes 🖾	No □
7. Signage Requirements in Chapter 19.08.0	112 A N/A 🕅	Yes □	No □
There is a separate sign application available at City Hall			
8. Adequate Landscaping or View			
Obscuring Screening	N/A ⊠	Yes □	No □
Whenever a proposed development is either adjacent to a r			
in common with a lot in the Residential General (RG) zoni	ng district, there sl	nall be a six foor	(6') high
solid fence, vegetative barrier, or other view and noise obs	curing screen to pr	omote compatib	oility of land
uses and mitigate negative visual impacts. Junk, trash and	debris shall be ren	noved.	
If you checked "no" to any of the questions listed above	e excent the huild	ing height regu	est von
need a variance permit.	, except the bund	ing neight requ	iesi, you
True : Division of the Divisio			
Historic District Commission Review  It shall be the duty of the commission to review all place for the commission.			

It shall be the duty of the commission to review all plans for the construction alteration, repair, moving or demolition to structures in the Historic District, and it shall have the power to pass upon such plans before a permit for such activity can be granted. In reviewing the plans, the commission shall give consideration to:

- 1. The historical or architectural value and significance of the structure and its relationship to the historic value of the surrounding area;
- 2. The general compatibility of exterior design, arrangement, texture and materials proposed to be used; and
- 3. Any other factor, including aesthetic, which it deems pertinent.

The Historic District Commission will review plans using three major criteria:

- 1. design of the building: scale, mass, proportions, height, rhythm and ground plan;
- 2. architectural details: roofline, exterior cladding, windows, entrances, ornamentation, and interior features which are visible from the outside; and
- 3. streetscape: the overall visual effect of a building in relationship to other buildings along the street. The district is a combination of many things -- architectural styles, building materials, building form and mass and landscaping. The visual impact of the Skagway Historic District must be protected and any change or alteration must be preceded by thoughtful public review.

Prior to coming to the Historic District Commissions, the following questions should be reviewed by an applicant on any project involving existing historic buildings in the district:

- 1. Do the planned changes maintain as much of the original building as possible?
- 2. Are exterior alterations and changes kept to a minimum?
- 3. Do the plans fit the structure's original design?
- 4. Do the plans relate favorably to the surroundings?
- 5. Are the changes visible from the street sides of the building kept at a minimum?
- 6. Are the original building materials maintained or exposed?
- 7. Are all materials appropriate to the building and to the neighborhood?
- 8. Are the original size and shape of door and window openings the same?
- 9. Are the original and distinctive architectural details kept intact?

The following materials, structures, or architectural features are prohibited.

- 1. In order to preserve the unique appearance of the AB Hall and the Pantheon building, the further use of driftwood as an architectural material is prohibited.
- 2. In order to preserve the unique appearance of the McCabe Building and the Pantheon building, the further use of stone or cobbles is prohibited.
- 3. Incorporating the architectural details used on the street façade of the Gold Rush era BPOE Lodge into a modern building is prohibited.
- 4. In new construction, the use of a single recessed entry on a single business frontage that serves as the entry to two individual business spaces is prohibited. Each business space shall have its own entry.
- 5. Canvas tents are prohibited.
  - 6. Log buildings are prohibited except for actual log buildings from the Historic Period such as the original Skagway City Hall on 5<sup>th</sup> Avenue.
  - 7. Angled entries except at the corner of a building that is at a street or alley intersection are prohibited.

Areas Meriting Special Consideration. Within the Skagway Historic District are several structures that because of their unique design or special use should not be required to conform to historic district guidelines. These structures have a history that is not from the Klondike Gold Rush which is the event that the Skagway Historic District guidelines and ordinances are written to preserve. These structures are products of their own time and place. The listed examples shall not be required to conform to the Skagway Historic District Klondike Gold Rush guidelines except for 19.12.130 Demolition or moving buildings, but shall be treated as products of their own time and protected as such. The Commission shall review any modifications to these structures using the same design criteria listed in SMC 19.12.010(C)(6) basing these criteria on the periods that these buildings were constructed and the buildings own design characteristics. These structures include but are not limited to the following:

- 1. The Bank of Alaska building at 6<sup>th</sup> and Broadway.
- 2. The World War II Quonset Hut at 7<sup>th</sup> and Spring.
- 3. The World War II Commissary building that is part of the Soapy Smith Museum complex on 2<sup>nd</sup> Avenue.
- 4. The World War II barracks building on 4th Avenue.

701			
Planning Commission	Fire Dept	Building Official	State Fire Marshal
<del>_</del>			
s, Instructions, Notes:			
	<del></del>		
	<del></del>		
one Management Consiste	ency Review		
TIVE TYTEMACH CONSISTE CONSISTE			
		-	
fee: \$			
	s, Instructions, Notes:	s, Instructions, Notes:	

This applications is not your permit to start construction, you will receive your permit in the mail after this application has been approved by the Fire Department and Building Official, and/or the appropriate commission. Please note that all other services provided by the City of Skagway, such as utility services, are separate issues and need a separate application.

#### Please be aware of the following items:

- A permit is a legally binding contract between the builder and the City of Skagway. It is granted on the express
  condition that the construction shall, in all respects, conform to the ordinances of this jurisdiction including zoning
  ordinances, which regulate the construction and use of buildings, and the currently adopted International Building
  Codes. This permit may be revoked at any time upon violation of any ordinances or codes.
- The Code Enforcement Office must be notified in advance of any construction work and requires a minimum of 5 inspection calls: footings (prior to placement of forms), foundation (prior to pour with steel in place), slab or under floor, framing prior to inside covering, final inspection. Other inspections may also be needed depending upon the type of construction. It is **your** responsibility to arrange for inspections, and this office should be called at least 24 hours in advance.
- The Code Enforcement Office reserves the right to reject any work that has been concealed without first having been inspected and approved by this department in accordance with all applicable codes.
- A copy of APPROVED construction documents (building plans and other supporting documents) must remain at the building site at all times during construction.
- Any deviation from the approved plans must be authorized and approved subject to the same procedure for the original set of plans.
- Permits are valid for a period of 18 months and work must start within 6 months.
- Final inspection call shall not be made until all construction work is completed and heating apparatus is installed and functional. Final finish applications not required.
- Final inspection and Certificate of Occupancy must be obtained before occupying building.
- The Code Enforcement Office will do everything reasonable and prudent to help you achieve your goal. However, we will not do the work on construction documents for you.

#### 19.08.020 Provision of off-street parking. Provisions at (A)(1)(d) shall apply in the Skagway Historical Zoning District.

- d. Business establishments in the Business-Skagway Historical Zoning District:
- (i) For each dwelling unit, one (1) private parking space.
- (ii) Commercial vehicles. The owner or operator of any commercial enterprise involving use of commercial vehicles shall provide and utilize off-street parking adequate to park all vehicles used by that enterprise for commercial purposes, but may be located outside the business Skagway Historical Zone provided that provisions of SMC 19.06 are met.

#### B. General Conditions.

- 1. Every lot or parcel of land used as a public parking area shall be developed as follows, subject to the approval of the plans by the planning commission:
- a. Such area shall be adequately and satisfactorily surfaced;
- b. Where such area adjoins the side of a lot in an R district, it shall be separated from such lot by a fence not less than four feet (4') or more than six feet (6') in height. Such fence shall be maintained in good condition;
- c. Any lights provided to illuminate such parking area shall be so arranged as to reflect the light away from adjoining premises and streets.
- 2. In the case of a use not specifically mentioned in this section, the requirements for off-street parking facilities shall be the same as the above-mentioned use that, in the opinion of the planning commission, shall be deemed most similar.
- 3. Detailed plans for driveways shall be submitted to the planning commission for approval with regard to the location and relation of the same to the public street or highway.
- 4. All parking spaces provided pursuant to this section shall be:
- a. On the same lot with the main use they serve;
- b. On an adjoining lot; or
- c. On any lot within one hundred fifty feet (150') of the use if the Planning Commission determines that it is impractical to provide parking on the same lot.
- 5. No existing parking area, and no parking area provided for the purpose of complying with the provisions of this title shall hereafter be relinquished or reduced in any manner below the requirements herein established.
- 6. Detailed plans for all parking and loading areas shall accompany the building plans when the application for building permit is made. Such plans shall show following:
- a. Area of the plot involved;
- b. Layout and dimensions of each parking space; and
- c. Entrance and exit to the parking area.


#### 19.02.010 **Definitions.**


"Parking Space, Private", "Private parking space" means any automobile parking space not less than ten feet (10') wide and twenty feet (20') long.


"Parking Space, Public", "Public parking space" means an area of not less than two hundred fifty (250) square feet, accessible from streets and alleys, for the storage of passenger motor vehicles operated by individual drivers.

7th Ave. Side of Building Before

After









New Building Paint Colors:
Outside Walls - 24. Moderate Reddish Brown
OutsideTrim - 23. Dark Grayish Reddish Brown
Door & Window Trim - White





Receipt Number:

R00010293

Cashier Name:

Stacy Fairbanks

Terminal Number:

Receipt Date: 3/17/2023 11:29:59 AM

Trans Code: PERMITS & LICENSES - Permits & License Name: 3 x Southeast Tours/Popcorn Emporium/F

Product: Sign Permit

Description: Sign Permit

GL Account: 100-1000-4220 - Revenue - Permits and Licenses

Amount:

\$45.00

3 x Southeast Tours/Popcorn Emporium/Hatley .

Trans Code: PERMITS & LICENSES - Permits & License Name: Windows/ doors - Goebel

Description: Building Permit

Product: Building Permit

GL Account: 100-1000-4220 - Revenue - Permits and Licenses

Amount: \$94.50

Windows/doors - Goebel 94.50

Trans Code: PERMITS & LICENSES - Permits & License Name: Paint Permit - Goebel

Product: Sign Permit

Description: Sign Permit

GL Account: 100-1000-4220 - Revenue - Permits and Licenses

Amount:

\$15.00

**Total Applied Amount:** 

\$154.50

\$45.00

\$94.50

\$15.00

Paint Permit - Goebel 15.00

Payment Method: CREDIT CAF Payor: 3 x Southeast Tours/Popco Reference: Visa-Authorized

Amount:

**Total Payment Received:** 

\$154.50

Change:

\$0.00

Cardmember acknowledges receipt of goods and/or services in the amount of the total shown hereon and agrees to perform the obligations set forth by the cardmember's agreement with the issuer.